

ROYAL WHARF

Styl'Book

Female







Your Styl'Book provides your Practitioner with your personal information and previous treatments in order to ensure the best medical support possible.

For you, it will allow you to trace previous facial treatments and the products used.

It is important to present this book to your Practitioner during each consultation!







Styl'Book

Tel:

Mobile:

| T ITST TAINE. | |
|----------------|-------|
| Last Name: | |
| Date of Birth: | |
| | |
| Address: | |
| Postcode: | City: |
| Country: | |
| | |
| | |











- Taking Aspirin, NSAIDs, Platelet Aggregation Inhibiting Drugs, Anticoagulants or Vitamin C in the week preceding the injection should be avoided, as many of these have the potential to increase the risk of bruising.
- Tell your Practitioner about your medical history (autoimmune disease, streptococcal disease, haemostasis, herpes, etc).

Recommandations After Injection

- Use a sunscreen with a high protection factor during the two weeks following treatment.
- Not wear make-up during the 12 hours following the injection.
- Avoid exposing the treated area to intense heat (UV, sauna, stream room) or extreme cold, at least until any potential post-injection swelling or redness disappears.
- Keep your Practitioner informed of any «abnormal» evolution of the treated area.
- Avoid massaging or compressing the injected area for the first 3 days after the injection.
- · Avoid vigorous sports during the first week after the injection.







| Injection Date: |
|-----------------|
|-----------------|

| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| Injection Date: |
|-----------------|
|-----------------|

| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| Injection Date: |
|-----------------|
|-----------------|

| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| Injection Date: |
|-----------------|
|-----------------|


| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| | | | Forehead |
|--------------------------|-------------|---------------------|------------------|
| Glabellar lines | | | ☐ Temples |
| | W 🔊 | | Crow's feet |
| Tear troughs Cheekbones | | $\langle U \rangle$ | |
| Nose | | | |
| Cheeks | ~~ | <i>∴</i> / | |
| Nasolabial folds | | \prec | Lips |
| | \ ← | \Rightarrow $/$ | Marionette lines |
| Mandibular angle | —— / | / | Chin |
| Jawline - | | ノ ヿ | _ Cilli |
| Neck | | | ☐ Back of hand |
| Décolleté 🔲 | | | □ Back of Hallo |
| | | | |


| Comments: | |
|-----------|--|
| | |
| | |
| | |
| | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| | | | Forehead |
|--------------------------|-------------|---------------------|------------------|
| Glabellar lines | | | ☐ Temples |
| | W 🔊 | | Crow's feet |
| Tear troughs Cheekbones | | $\langle U \rangle$ | |
| Nose | | | |
| Cheeks | ~~ | <i>∴</i> / | |
| Nasolabial folds | | \prec | Lips |
| | \ ← | \Rightarrow $/$ | Marionette lines |
| Mandibular angle | —— / | / | Chin |
| Jawline - | | ノ ヿ | _ Cilli |
| Neck | | | ☐ Back of hand |
| Décolleté 🔲 | | | □ Back of Hallo |
| | | | |


| Comments: | |
|-----------|--|
| | |
| | |
| | |
| | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| | | | Forehead |
|--------------------------|-------------|---------------------|------------------|
| Glabellar lines | | | ☐ Temples |
| | W 🔊 | | Crow's feet |
| Tear troughs Cheekbones | | $\langle U \rangle$ | |
| Nose | | | |
| Cheeks | ~~ | <i>∴</i> / | |
| Nasolabial folds | | \prec | Lips |
| | \ ← | \Rightarrow $/$ | Marionette lines |
| Mandibular angle | —— / | / | Chin |
| Jawline - | | ノ ヿ | _ Cilli |
| Neck | | | ☐ Back of hand |
| Décolleté 🔲 | | | □ Back of Hallo |
| | | | |

| Comments: | |
|-----------|--|
| | |
| | |
| | |
| | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| Injection Date: |
|-----------------|
|-----------------|

| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |





| Injection Date: |
|-----------------|
|-----------------|

| | | | | | -□ Forehead |
|------------------------------|----------|-----------------|----------|----------|--------------------|
| Glabellar lines | | | | | - Temples |
| Tear troughs | _ \ | 110 | (🔊 | 1/ | - Crow's feet |
| Cheekbones Nose Cheeks | \ | <u> </u> | | P | |
| Nasolabial folds | | | | | - Lips |
| | | $\setminus \in$ | > / | | - Marionette lines |
| Mandibular angle | | - N . | _/_ | | - Chin |
| Jawline | | | / | | |
| | | | | | -□ Back of hand |
| Décolleté | | | | | |







Traceability Labels



| Next Advised Appointment: | ·/ | |
|---------------------------|----|--|
| | | |







ROYAL WHARF

Versatile Selection Of Cosmetic Excellence

GET IN TOUCH

- info@royalwharfclinic.co.uk
- ## www.royalwharfclinic.co.uk
- **%** 020-4513-1960



